



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
and Regulation (EU) No 2020/878

Revision date: 16.8.2022
Version: 5.0
Language: en-DE
Date of print: 25.11.2022

Eni Coro KSO 32 LK

Material number 828

Page: 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Eni Coro KSO 32 LK

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Metalworking fluid

1.3 Details of the supplier of the safety data sheet

Company name: Eni Schmiertechnik GmbH
Street/POB-No.: Paradiesstraße 14
Postal Code, city: DE-97080 Würzburg
WWW: www.enischmiertechnik.de
E-mail: info.wuerzburg@eni.com
Telephone: +49 (0)931-90098-0
Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)
Telephone: +49 (0)931-90098-0
E-mail: technik.wuerzburg@eni.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen
Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

Special labelling

EUH210 Safety data sheet available on request.

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment:

No data available



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
and Regulation (EU) No 2020/878

Revision date: 16.8.2022
Version: 5.0
Language: en-DE
Date of print: 25.11.2022

Eni Coro KSO 32 LK

Material number 828

Page: 2 of 9

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: A mixture of base oils and additives.

Hazardous ingredients:

Ingredient	Designation	Content	Classification
REACH 01-2119484627-25-xxxx EC No. 265-157-1 CAS 64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic	90 - 100 %	Asp. Tox. 1; H304.
REACH 01-2119480375-34-xxxx EC No. 265-156-6 CAS 64742-53-6	Distillates (petroleum), hydrotreated light naphthenic	< 5 %	Asp. Tox. 1; H304.

Full text of H- and EUH-statements: see section 16.

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General information: Remove affected person from the danger area and lay down. If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash it before reuse.
- In case of inhalation: Remove person to fresh air and keep comfortable for breathing. In the event of discomfort seek medical treatment.
- Following skin contact: Remove residues with soap and water. In case of skin reactions, consult a physician.
- After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.
- After swallowing: Rinse mouth with water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Immediately get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

In case of inhalation:
The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Observe risk of aspiration if vomiting occurs.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, foam, extinguishing powder, water mist, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
and Regulation (EU) No 2020/878

Revision date: 16.8.2022
Version: 5.0
Language: en-DE
Date of print: 25.11.2022

Eni Coro KSO 32 LK

Material number 828

Page: 3 of 9

5.2 Special hazards arising from the substance or mixture

Combustible.
May form dangerous gases and vapours in case of fire.
Furthermore, there may develop: smoke, nitrogen oxides (NO_x), carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

In case of fire and/or explosion do not breathe fumes. Cool exposed containers with water spray, but avoid contact of the substance with water. Move undamaged containers from immediate hazard area if it can be done safely.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Provide adequate ventilation. Remove all sources of ignition. Wear appropriate protective equipment.

Take off contaminated clothing and wash it before reuse. Avoid contact with skin, eyes, and clothing. Keep unprotected people away.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up

Wipe up with absorbent material (eg. cloth, fleece). Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal. Prevent spread over a wide area (e.g. by containment or oil barriers).

Never return spills in original containers for re-use.

Clean contaminated articles and floor according to the environmental legislation.

Additional information:

Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling:

Provide adequate ventilation, and local exhaust as needed. Avoid oil mist formation. Do not breathe mist/vapours/spray. Wear appropriate protective equipment.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Take off contaminated clothing and wash it before reuse. Avoid contact with skin, eyes, and clothing.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
and Regulation (EU) No 2020/878

Revision date: 16.8.2022
Version: 5.0
Language: en-DE
Date of print: 25.11.2022

Eni Coro KSO 32 LK

Material number 828

Page: 4 of 9

Precautions against fire and explosion:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
When handling larger quantities, take precautionary measures against electrostatic charging.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.
Keep container dry. Keep only in the original container.
Store containers in upright position. Protect against heat, sun rays and frost.
Recommended storage temperature: 5 - 40 °C
Storage stability: 24 months
Provide earthing of containers, equipment, pumps and ventilation facilities.

Hints on joint storage: Keep away from food, drink and animal feedingstuffs. Do not store with strong oxidizing agents.

Storage class: 10 = Combustible liquids, unless storage class 3

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection: In case of inadequate ventilation wear respiratory protection.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection: Protective gloves according to EN 374. Glove material: Nitrile rubber, polychloroprene, chloroprene rubber, polyvinyl alcohol

wearing time with permanent contact: > 480 min

Layer thickness: 0,70 mm

wearing time with occasional contact (splashes): > 30 min

Layer thickness: 0,40 mm

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to EN 166.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Do not breathe mist/vapours/spray.

Take off contaminated clothing and wash it before reuse. Avoid contact with skin, eyes, and clothing.

Do not eat, drink or smoke when using this product. Do not put any product-impregnated cleaning rags into your trouser pockets.

Wash hands thoroughly after handling. Apply skin care products after work.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
and Regulation (EU) No 2020/878

Revision date: 16.8.2022
Version: 5.0
Language: en-DE
Date of print: 25.11.2022

Eni Coro KSO 32 LK

Material number 828

Page: 5 of 9

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	light yellow
Odour:	Like mineral oil
Odour threshold:	No data available
Melting point/freezing point:	No data available
initial boiling point and boiling range:	> 200 °C (1013 hPa)
Flammability:	No data available
Upper/lower flammability or explosive limits:	LEL (Lower Explosion Limit): 0,60 Vol-% UEL (Upper Explosive Limit): 6,50 Vol-%
Flash point/flash point range:	> 140 °C (DIN EN ISO 2592)
Decomposition temperature:	No data available
pH:	No data available
Viscosity, kinematic:	at 40 °C: 22 mm ² /s (DIN EN ISO 3104)
Water solubility:	at 20 °C: Practically insoluble
Partition coefficient: n-octanol/water:	Not applicable
Vapour pressure:	No data available
Density:	at 15 °C: 0,87 g/cm ³ (DIN EN ISO 12185)
Vapour density:	No data available
Particle characteristics:	Not applicable

9.2 Other information

Explosive properties:	Not explosive according to EU A.14
Oxidizing characteristics:	Not oxidising.
Auto-ignition temperature:	> 240 °C
Evaporation rate:	No data available
Additional information:	Pour point: < -20 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Protect against heat, sun rays and frost. Protect from moisture contamination.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
and Regulation (EU) No 2020/878

Eni Coro KSO 32 LK

Material number 828

Revision date: 16.8.2022

Version: 5.0

Language: en-DE

Date of print: 25.11.2022

Page: 6 of 9

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

11.2 Information on other hazards

Endocrine disrupting properties:

No data available

Other information:

Information about Distillates (petroleum), hydrotreated heavy paraffinic:

LD50 Rat, oral: > 5.000 mg/kg (OECD 401)

LD50 Rabbit, dermal: > 5.000 mg/kg (OECD 402)

LC50 Rat, inhalative: > 5,53 mg/L/4h (OECD 403)

Information about Distillates (petroleum), hydrotreated light naphthenic:

LD50 Rat, oral: > 5.000 mg/kg (OECD 401)

LD50 Rabbit, dermal: > 5.000 mg/kg (OECD 402)

LC50 Rat, inhalative: > 5,53 mg/L/4h (OECD 403)

Symptoms

In case of inhalation:

The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
and Regulation (EU) No 2020/878

Revision date: 16.8.2022
Version: 5.0
Language: en-DE
Date of print: 25.11.2022

Eni Coro KSO 32 LK

Material number 828

Page: 7 of 9

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Information about Distillates (petroleum), hydrotreated heavy paraffinic:
Fish toxicity:
LC50 Pimephales promelas (fathead minnow): >100 mg/L/96 h
Daphnia toxicity:
EL50 Daphnia magna (Big water flea): >10.000 mg/L/48 h
Algae toxicity:
EL50 Pseudokirchneriella subcapitata (green algae): >100 mg/L/72 h
Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

12.2 Persistence and degradability

Further details: Biodegradability:
Moderately/partially biodegradable.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:
Not applicable

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 12 01 07* = mineral-based machining oils free of halogens (except emulsions and solutions)
* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

Package

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
and Regulation (EU) No 2020/878

Revision date: 16.8.2022
Version: 5.0
Language: en-DE
Date of print: 25.11.2022

Eni Coro KSO 32 LK

Material number 828

Page: 8 of 9

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:

Not restricted

14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 10 = Combustible liquids, unless storage class 3

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5.

Further regulations, limitations and legal requirements:

The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV).

National regulations - EC member states

Further regulations, limitations and legal requirements:

No data available

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
and Regulation (EU) No 2020/878

Revision date: 16.8.2022

Version: 5.0

Language: en-DE

Date of print: 25.11.2022

Eni Coro KSO 32 LK

Material number 828

Page: 9 of 9

SECTION 16: Other information

Further information

Wording of the H-phrases under paragraph 2 and 3:

H304 = May be fatal if swallowed and enters airways.

EUH210 = Safety data sheet available on request.

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

AS/NZS: Australian Standards/New Zealand Standards

CAS: Chemical Abstracts Service

CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging

DMEL: Derived minimal effect level

DNEL: Derived no-effect level

EC: European Community

EL50: Effective loading rate 50%

EN: European Standard

EQ: Excepted quantities

EU: European Union

IATA: International Air Transport Association

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code

LC50: Median lethal concentration

LD50: Lethal dose 50%

LEL: Lower Explosion Limit

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OECD: Organisation for Economic Co-operation and Development

OSHA: Occupational Safety and Health Administration

PBT: Persistent, bioaccumulative and toxic

PNEC: Predicted no-effect concentration

RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

TRGS: Technical Rules for Hazardous Substances

vPvB: Very persistent and very bioaccumulative

Reason of change: General revision

Date of first version: 16.8.2022

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:
<http://sumdat.net/irpdx9rx>

